

# Budget Worksheet Listing

Dept. Number	Account Number	Account Name	W. Space	PriorFY Budget	PriorFY Expend	Current Budget	Current Expend.	Request	T Admin.Rec	Selectmen
01200	DPW-Highway									
001-01200-00100-4312	DPW-Highway Personnel Services, Salaries			451,550.00	426,280.10	454,172.00	0.00	463,284.00	463,284.00	0.00
001-01200-00110-4312	DPW-Highway Overtime			53,750.00	30,308.02	44,500.00	0.00	45,000.00	45,000.00	0.00
001-01200-00120-4312	DPW-Highway Part Time			23,250.00	25,968.01	23,500.00	0.00	37,500.00	37,500.00	0.00
001-01200-00210-4312	DPW-Highway Insurances			235,693.00	203,493.29	264,918.00	0.00	222,743.00	222,743.00	0.00
001-01200-00220-4312	DPW-Highway FICA			32,130.00	29,035.11	32,356.00	0.00	33,839.00	33,839.00	0.00
001-01200-00230-4312	DPW-Highway Medicare			7,514.00	6,790.67	7,567.00	0.00	7,914.00	7,914.00	0.00
001-01200-00240-4312	DPW-Highway Workers Comp			32,171.00	10,169.00	14,252.00	0.00	14,750.00	14,750.00	0.00
001-01200-00250-4312	DPW-Highway NH Retirement			57,471.00	35,336.67	46,000.00	0.00	45,332.00	45,332.00	0.00
001-01200-00290-4312	DPW-Highway Other Employee Benefits			9,500.00	10,536.01	9,500.00	0.00	10,500.00	10,500.00	0.00
001-01200-00300-4312	DPW-Highway Professional & Technical Services			57,500.00	65,404.20	78,500.00	0.00	81,000.00	81,000.00	0.00
001-01200-00400-4312	DPW-Highway Property Services			159,500.00	147,368.54	169,348.00	0.00	162,500.00	162,500.00	0.00
001-01200-00500-4312	DPW-Highway Other Services			24,700.00	31,615.50	26,800.00	0.00	34,800.00	34,800.00	0.00
001-01200-00500-4316	DPW-Highway Other Services Street Lighting			15,300.00	9,707.25	10,200.00	0.00	10,200.00	10,200.00	0.00
001-01200-00600-4312	DPW-Highway Supplies			250,500.00	275,000.71	320,000.00	0.00	320,000.00	320,000.00	0.00
001-01200-00800-4312	DPW-Highway Other Charges & Expenses			5,250.00	2,765.87	5,250.00	0.00	5,250.00	5,250.00	0.00
	Subtotal for dept. DPW-Highway:			1,415,779.00	1,309,778.95	1,506,863.00	0.00	1,494,612.00	1,494,612.00	0.00



<b>FUND:</b>	001					
<b>ACCOUNT NUMBER:</b>	01200	00120				
<b>ACCOUNT NAME:</b>	Personnel - Part Time					
<b>Description</b>	<b>Quantity Grade/Step</b>	<b>\$ Per Unit</b>	<b>Hrs/Wk/Yr or Salary</b>	<b>Extension</b>	<b>FY 2013 Request</b>	<b>FY 2013 Administrator Recommended</b>
Seasonal Labor - Streets/Drains	VII-1	\$16.08	640	\$10,291.20	\$10,291	\$10,291
Seasonal Labor - B&G	III-1	\$12.64	400	\$5,056.00	\$5,056	\$5,056
Office Clerk (1) (2)	VI-1	\$15.22	1560	\$23,743.20	\$23,743	\$22,160
				<b>Lump Sum Disallowed</b>		<b>-\$8</b>
				<b>Totals</b>	<b>\$39,090</b>	<b>\$37,500</b>
Note: (1) Change in title from that proposed to align with compensation plan. (2) Under the Affordable Care Act - effective 01/01/14 - we must provide health insurance to anyone who works 30 hrs/wk or more. This reduction is to have the 2013 hours align with that new requirement and avoid the negative of us having to cut the work week on 01/01/14.						
<b>FUND:</b>	001					
<b>ACCOUNT NUMBER:</b>	01200	00290				
<b>ACCOUNT NAME:</b>	Other Employee Benefits					
<b>Description</b>	<b>Quantity Grade/Step</b>	<b>\$ Per Unit</b>	<b>Hrs/Wk/Yr or Salary</b>	<b>Extension</b>	<b>FY 2013 Request</b>	<b>FY 2013 Administrator Recommended</b>
Uniforms Streets/Drains	8	\$840.00		\$6,720.00	\$6,720	\$6,720
Uniforms B&G	2	\$840.00		\$1,680.00	\$1,680	\$1,680
Shoe Reimburse Streets/Drains	8	\$100.00		\$800.00	\$800	\$800
Shoe Reimburse B & G	2	\$100.00		\$200.00	\$200	\$200
Winter Jackets	10	\$50.00		\$500.00	\$500	\$500
Miscellaneous	1	\$600.00		\$600.00	\$600	\$600
				<b>Totals</b>	<b>\$10,500</b>	<b>\$10,500</b>
<b>FUND:</b>	001					
<b>ACCOUNT NUMBER:</b>	01200	00300				
<b>ACCOUNT NAME:</b>	Professional & Technical Services					
<b>Description</b>	<b>Quantity Grade/Step</b>	<b>\$ Per Unit</b>	<b>Hrs/Wk/Yr or Salary</b>	<b>Extension</b>	<b>FY 2013 Request</b>	<b>FY 2013 Administrator Recommended</b>
Roadside Mowing	U	\$40.00	600	\$24,000.00	\$24,000	\$24,000
Catch Basin Cleaning		\$7,500.00	1	\$7,500.00	\$7,500	\$7,500
Road & Bldng. Sweeping		\$10,000.00	1	\$10,000.00	\$10,000	\$10,000
Tree Service-Crane Work	10	\$2,000.00		\$20,000.00	\$20,000	\$20,000
Stump Grinding- Misc Tree Work	10	\$300.00		\$3,000.00	\$3,000	\$3,000
Road Striping		\$0.64	19000	\$12,160.00	\$12,160	\$12,160
Reimbursement- paging	10	\$60.00		\$600.00	\$600	\$204
HA & T/L Cell Reimb (1)	6	\$30.00		\$2,160.00	\$2,160	\$2,160
MDT Aircard	12	\$50.00		\$600.00	\$600	\$600
Garage Phone	12	\$50.00		\$600.00	\$600	\$600
Internet/Video Feeds	12	\$80.00		\$960.00	\$960	\$960
				<b>Lump Sum Disallowed</b>		<b>-\$184</b>
				<b>Totals</b>	<b>\$81,580</b>	<b>\$81,000</b>
Note: (1) The one employee remaining with a Town issued phone will be converted to a stipend (as all others are on) or need to find an alternative way to communicate.						

<b>FUND:</b>	<b>001</b>					
<b>ACCOUNT NUMBER:</b>	<b>01200</b>	<b>00400</b>				
<b>ACCOUNT NAME:</b>	<b>Property Services</b>					
<b>Description</b>	<b>Quantity Grade/Step</b>	<b>\$ Per Unit</b>	<b>Hrs/Wk/Yr or Salary</b>	<b>Extension</b>	<b>FY 2013 Request</b>	<b>FY 2013 Administrator Recommended</b>
Grader Lease #4 of 5	12	\$4,116.23		\$49,394.76	\$49,395	\$49,395
Backhoe Lease #3 of 5	12	\$1,529.81		\$18,357.72	\$18,358	\$18,358
Truck Fleet Repairs- Mech	17	\$2,000.00		\$34,000.00	\$34,000	\$34,000
Part purchases to support	12	\$1,800.00		\$21,600.00	\$21,600	\$21,600
Inspections	18	\$65.00		\$1,170.00	\$1,170	\$1,170
Radio / Electronic Repairs	12	\$100.00		\$1,200.00	\$1,200	\$1,200
Dump Body / Frame- Recon		\$7,500.00		\$7,500.00	\$7,500	\$7,500
Zamboni Repairs		\$2,000.00		\$2,000.00	\$2,000	\$2,000
5/8*6*84	1	\$115.86		\$115.86	\$116	\$116
5/8*6*96	2	\$152.95		\$305.90	\$306	\$306
5/8*6*108	16	\$158.64		\$2,538.28	\$2,538	\$2,538
5/8*6*120	12	\$175.89		\$2,110.71	\$2,111	\$2,111
5/8*6*132	5	\$193.20		\$966.00	\$966	\$966
3/4*6*36 Carbide	10	\$219.08		\$2,190.75	\$2,191	\$2,191
3/4*6*48 Carbide	12	\$292.10		\$3,505.20	\$3,505	\$3,505
WingArms/PlowBlocks/Shoes	1	\$2,500.00		\$2,500.00	\$2,500	\$2,500
General Plow Maintenance	1	\$2,000.00		\$2,000.00	\$2,000	\$2,000
Chainsaw replacements	2	\$800.00		\$1,600.00	\$1,600	\$1,600
Distance measuring device	1	\$1,100.00		\$1,100.00	\$1,100	\$1,100
Pallet Jack	1	\$400.00		\$400.00	\$400	\$400
Stainless steel welding gun	1	\$2,400.00		\$2,400.00	\$2,400	\$2,400
Portable fan	1	\$300.00		\$300.00	\$300	\$300
48" smart level	1	\$170.00		\$170.00	\$170	\$170
small utility trailer- PS & Tank	1	\$800.00		\$800.00	\$800	\$800
4- cord reels	4	\$150.00		\$600.00	\$600	\$600
Back pack blower	1	\$700.00		\$700.00	\$700	\$700
York Rake-front runner	1	\$4,260.00		\$4,260.00	\$4,260	\$4,260
				<b>Lump Sum Disallowed</b>		<b>-\$1,285</b>
				<b>Totals</b>	<b>\$163,785</b>	<b>\$162,500</b>
<b>FUND:</b>	<b>001</b>					
<b>ACCOUNT NUMBER:</b>	<b>01200</b>	<b>00500</b>				
<b>ACCOUNT NAME:</b>	<b>Other Services</b>					
<b>Description</b>	<b>Quantity Grade/Step</b>	<b>\$ Per Unit</b>	<b>Hrs/Wk/Yr or Salary</b>	<b>Extension</b>	<b>FY 2013 Request</b>	<b>FY 2013 Administrator Recommended</b>
Equip. Rental - Asphalt Roll	2	\$2,500.00		\$5,000.00	\$5,000	\$5,000
Services: Excavator	2	\$2,500.00		\$5,000.00	\$5,000	\$5,000
Paint for Paint Machine	6	\$100.00		\$600.00	\$600	\$600
Street Lighting	12	\$850.00		\$10,200.00	\$10,200	\$10,200
Care Of Trees	8	\$2,000.00		\$16,000.00	\$16,000	\$16,000
Contract Engineering Service	1	\$10,000.00		\$10,000.00	\$10,000	\$10,000
DOT Daily Inspection Books	1	\$500.00		\$500.00	\$500	\$500
				<b>Lump Sum Disallowed</b>		<b>-\$2,300</b>
				<b>Totals</b>	<b>\$47,300</b>	<b>\$45,000</b>

<b>FUND:</b>	<b>001</b>					
<b>ACCOUNT NUMBER:</b>	<b>01200</b>	<b>00600</b>				
<b>ACCOUNT NAME:</b>	<b>Supplies</b>					
<b>Description</b>	<b>Quantity Grade/Step</b>	<b>\$ Per Unit</b>	<b>Hrs/Wk/Yr or Salary</b>	<b>Extension</b>	<b>FY 2013 Request</b>	<b>FY 2013 Administrator Recommended</b>
Copier	12	\$30.00		\$360.00	\$360	\$360
Binders/misc office products	12	\$40.00		\$480.00	\$480	\$480
Printer/scanner	1	\$350.00		\$350.00	\$350	\$350
Filing systems-	1	\$600.00		\$600.00	\$600	\$600
Tires	20	\$200.00		\$4,000.00	\$4,000	\$4,000
Grader tires	6	\$1,000.00		\$6,000.00	\$6,000	\$6,000
Oil/hydraulic oil/gear oil	4	\$100.00		\$400.00	\$400	\$400
Oil/air/fuel filters	18	\$1,000.00		\$18,000.00	\$18,000	\$18,000
Wiper Blades Fluid	2	\$2,500.00		\$5,000.00	\$5,000	\$5,000
Bulbs/Electrical	11	\$250.00		\$2,750.00	\$2,750	\$2,750
Fuel	13000	\$4.50		\$58,500.00	\$58,500	\$58,500
Fuel Gasoline	5000	\$4.00		\$20,000.00	\$20,000	\$20,000
Street Signs - new/replace	40	\$60.00		\$2,400.00	\$2,500	\$2,500
Stop/Yield/Parking/Speed	20	\$65.00		\$1,300.00	\$1,300	\$1,300
Post/Hardware	40	\$45.00		\$1,800.00	\$1,800	\$1,800
Salt - Treated (Magic O)	900	\$79.33		\$71,397.00	\$71,397	\$71,397
Salt - Untreated	100	\$61.83		\$6,183.00	\$6,183	\$6,183
Winter Sand	4000	\$8.58	\$1.00	\$34,320.00	\$34,320	\$34,320
Dust Control	5000	\$1.06		\$5,300.00	\$5,300	\$5,300
Ledge Pack (3/4" per ton)	1200	\$15.00		\$18,000.00	\$18,000	\$18,000
Cold Patch (Super Patch)	15	\$120.00		\$1,800.00	\$1,800	\$1,800
Hot Top/Skip Patch (1/2" Binder)	150	\$72.00		\$10,800.00	\$10,800	\$10,800
Gravel	3000	\$10.16		\$30,480.00	\$30,480	\$30,480
Rip-Rap Stone (3"-6")	150	\$19.40	\$1.00	\$2,910.00	\$2,910	\$2,910
3"-6" gravel	1000	\$12.65		\$12,650.00	\$12,650	\$12,650
Culvert Stock	1	\$5,000.00		\$5,000.00	\$5,000	\$5,000
				<b>Lump Sum Disallowed</b>		<b>-\$880</b>
				<b>Totals</b>	<b>\$320,880</b>	<b>\$320,000</b>
<b>FUND:</b>	<b>001</b>					
<b>ACCOUNT NUMBER:</b>	<b>01200</b>	<b>00800</b>				
<b>ACCOUNT NAME:</b>	<b>Other Charges &amp; Expenses</b>					
<b>Description</b>	<b>Quantity Grade/Step</b>	<b>\$ Per Unit</b>	<b>Hrs/Wk/Yr or Salary</b>	<b>Extension</b>	<b>FY 2013 Request</b>	<b>FY 2013 Administrator Recommended</b>
Facility Supplies	1	\$1,000.00		\$1,000.00	\$1,000	\$1,000
Streets/Drains (UNH T2)	10	\$300.00		\$3,000.00	\$3,000	\$3,000
American Public Works Association; NH Road Agents Association; NHPWA-MA Dues					\$750	\$750
RSMS Software Maint Fee	1	\$600.00		\$600.00	\$600	\$600
				<b>Lump Sum Disallowed</b>		<b>-\$100</b>
				<b>Totals</b>	<b>\$5,350</b>	<b>\$5,250</b>

Town of Moultonborough  
Storm Report Tally  
2011-2012

Storm #	Date(s)	Work Order#	Storm Descript	Ave Accum (In.)	\$ Labor	\$ Outside Contractor	\$ Equipt	\$ Materials Total	Materials Breakdown Total								\$ Storm Totals	
									Private				Town					
									Salt Qty	\$ Salt	Sand Qty	\$ Sand	Salt Qty	\$ Salt	Sand Qty	\$ Sand		
11-036	10/27-28/11	11-1327	Wet Snow	1"	\$ 63.71	\$ -	\$ 40.00	\$ 109.19	0.0000	\$ -	0.0000	\$ -	1.2550	\$ 109.19	0.0000	\$ -	\$ 212.90	
11-037	10/29-30/11	11-1327	Wet Snow	4-14"	\$ 3,311.95	\$ 5,292.20	\$ 2,064.00	\$ 3,555.68	0.0000	\$ -	34.4300	\$ 531.25	34.7635	\$ 3,024.42	0.0000	\$ -	\$ 14,223.83	
11-038	11/23/2011	11-1436	Wet Snow	4-8"	\$ 2,453.05	\$ 4,131.60	\$ 1,876.00	\$ 3,238.29	2.5100	\$ 218.37	11.7375	\$ 181.11	32.6300	\$ 2,838.81	0.0000	\$ -	\$ 11,698.94	
11-039	12/8/2011	11-1436	Wet Snow	0.1	\$ 166.48	\$ -	\$ 80.00	\$ 218.37		\$ -		\$ -	2.5100	\$ 218.37		\$ -	\$ 464.85	
11-040	12/14/2011	11-1509	Wet Snow	Dust	\$ 175.12	\$ -	\$ 104.50	\$ 545.93		\$ -		\$ -	6.2750	\$ 545.93		\$ -	\$ 825.55	
11-041	12/15/2011	11-1510	frz rain/sleet /wet	Dust	\$ 483.32	\$ -	\$ 249.00	\$ 1,637.78	0.6275	\$ 54.59		\$ -	18.1975	\$ 1,583.18		\$ -	\$ 2,370.10	
11-042	12/17/2011	11-1528	Dry Snow	Dust-25	\$ 477.40	\$ -	\$ 164.50	\$ 1,037.26		\$ -		\$ -	11.9225	\$ 1,037.26		\$ -	\$ 1,679.16	
11-043	12/21/2011	11-1545	Frz Rain		\$ 2,590.90	\$ 1,130.10	\$ 1,228.00	\$ 8,855.22	10.0400	\$ 873.48	230.8375	\$ 3,561.82	45.8075	\$ 3,985.25	28.1700	\$ 434.66	\$ 13,804.72	
11-044	12/23/2011	11-1557	Wet Snow	3	\$ 1,923.35	\$ 4,081.45	\$ 1,580.00	\$ 5,610.50	6.2750	\$ 545.93	62.6000	\$ 965.92	42.6700	\$ 3,712.29	25.0400	\$ 386.37	\$ 13,195.30	
11-045	12/27/2011	11-1563	Frz Rain		\$ 1,009.62	\$ -	\$ 1,174.00	\$ 5,046.27	7.5300	\$ 655.11	143.1975	\$ 2,209.54	20.0800	\$ 1,746.96	28.1700	\$ 434.66	\$ 7,229.89	
11-046	12/30/2011	11-1585	Dry Snow	0.25	\$ 144.90	\$ -	\$ 100.00	\$ 709.70	1.2550	\$ 109.19		\$ -	2.7500	\$ 239.25		\$ -	\$ 954.60	
11-047	12/31/2011	11-1587	Frz Rain		\$ 1,927.45	\$ 304.00	\$ 369.00	\$ 6,238.93	3.1375	\$ 272.96	168.2375	\$ 2,595.90	32.6300	\$ 2,838.81	34.4300	\$ 531.25	\$ 8,839.38	
12-001	1/2/2012	12-0001	Blk Ice		\$ 380.12	\$ -	\$ 164.50	\$ 1,170.59	0.6275	\$ 54.59		\$ -	12.5500	\$ 1,091.85	1.5650	\$ 24.15	\$ 1,715.21	
12-002	1/6/2012	12-0026	Dry Snow	Dust	\$ 679.26	\$ -	\$ 489.00	\$ 2,620.44	5.6475	\$ 491.33		\$ -	24.4725	\$ 2,129.11		\$ -	\$ 3,788.70	
12-003	1/12/2012	12-0066	Dry Snow	4-6"	\$ 3,556.34	\$ 8,213.78	\$ 2,552.00	\$ 8,398.42	8.7850	\$ 764.30	32.0825	\$ 495.03	66.5150	\$ 5,786.81	87.6400	\$ 1,352.29	\$ 22,720.54	
12-004	1/13/2012	12-0067	Frz Rain	0.5	\$ 1,257.17	\$ 222.50	\$ 1,070.00	\$ 1,369.03		\$ -		\$ -	11.2950	\$ 982.67	25.0400	\$ 386.37	\$ 3,918.70	
12-005A	1/16/2012	12-0069	re-treat	0	\$ 992.42	\$ 304.00	\$ 888.00	\$ 2,554.42		\$ -	136.1550	\$ 2,100.87	1.8825	\$ 163.78	18.7800	\$ 289.78	\$ 4,738.84	
12-005	1/14/2012	12-0068	Dry Snow	0.75	\$ 843.05		\$ 424.50	\$ 2,347.48	1.8825	\$ 163.78		\$ -	25.1000	\$ 2,183.70		\$ -	\$ 3,816.03	
12-006	1/17/2012	12-0083	Dry Snow	2	\$ 1,211.43	\$ 93.00	\$ 676.00	\$ 3,884.74	12.5500	\$ 1,091.85		\$ -	26.3550	\$ 2,292.89		\$ -	\$ 5,365.17	
12-007A	1/18/2012	12-0092	Frz Rain	0	\$ 1,443.64	\$ 358.30	\$ 948.00	\$ 4,895.09	0.0000	\$ -	136.9375	\$ 2,112.95	26.9825	\$ 2,347.48	28.1700	\$ 434.66	\$ 7,645.03	
12-007	1/17/2012	12-0091	Frz Rain	0	\$ 2,290.17	\$ 3,313.20	\$ 1,228.00	\$ 9,061.65	2.5100	\$ 218.37	308.3050	\$ 4,757.15	26.9825	\$ 2,347.48	112.6800	\$ 1,738.65	\$ 15,893.02	
12-008	1/20/12	12-0103	Dry Snow	5	\$ 2,844.18	\$ 7,562.00	\$ 2,296.00	\$ 7,163.30	11.2950	\$ 982.67	131.4600	\$ 2,028.43	40.7875	\$ 3,548.51	39.1250	\$ 603.70	\$ 19,865.48	
12-009	1/21/12	12-0109	Dry Snow	0.5	\$ 820.72	\$ 218.60	\$ 467.00	\$ 1,449.92	0.0000	\$ -	17.2150	\$ 265.63	2.5100	\$ 218.37	62.6000	\$ 965.92	\$ 2,956.24	
12-010	1/23/12	12-0121	frz rain/sleet /wet	0	\$ 634.53	\$ 5,550.65	\$ 474.00	\$ 12,845.02	2.5100	\$ 218.37	600.9600	\$ 9,272.81	22.5900	\$ 1,965.33	28.7500	\$ 443.61	\$ 19,504.20	
12-010A	1/25/12	12-0127	re-treat	0.5	\$ 77.00	\$ -	\$ 98.00	\$ 724.44	0.0000	\$ -	21.9100	\$ 338.07	0.0000	\$ -	25.0400	\$ 386.37	\$ 889.44	
12-010B	1/26/12	12-0129	re-treat	0	\$ 42.04	\$ 212.80	\$ 40.00	\$ 579.55	0.0000	\$ -	37.5600	\$ 579.55	0.0000	\$ -	0.0000	\$ -	\$ 874.39	
12-011	1/26-27/12	12-0139	frz rain/sleet /wet	0	\$ 2,713.65	\$ 5,901.30	\$ 1,936.00	\$ 9,705.07	16.9425	\$ 1,474.00	222.2300	\$ 3,429.01	50.2000	\$ 4,367.40	28.1700	\$ 434.66	\$ 20,256.02	
12-011A	1/28/12	12-0151	re-treat	0	\$ 1,044.16	\$ 3,417.90	\$ 552.00	\$ 3,742.93	0.0000	\$ -	214.4050	\$ 3,308.27	0.0000	\$ -	9.0000	\$ 138.87	\$ 8,756.99	
12-011B	1/30/12	12-0152	re-treat	0	\$ 417.69	\$ 304.00	\$ 658.00	\$ 2,125.02	0.0000	\$ -	112.6800	\$ 1,738.65	0.0000	\$ -	25.0400	\$ 386.37	\$ 3,454.71	
12-012	1/31/12	12-0163	Dry Snow	2	\$ 1,445.23	\$ 279.00	\$ 1,312.00	\$ 4,766.36	15.0600	\$ 1,310.22	18.7800	\$ 289.78	36.3950	\$ 3,166.37	0.0000	\$ -	\$ 7,802.59	
12-012A	2/3/12	12-0175	re-treat	0	\$ 1,041.08	\$ 486.40	\$ 904.00	\$ 4,710.93	0.0000	\$ -	258.2250	\$ 3,984.41	5.0200	\$ 436.74	18.7800	\$ 289.78	\$ 7,342.41	
12-013	2/1/12	12-0164	Frz Rain	0	\$ 254.59	\$ -	\$ 295.00	\$ 1,566.44	0.0000	\$ -	10.0000	\$ 154.30	6.9025	\$ 600.52	31.3000	\$ 482.96	\$ 2,116.03	
12-013A	2/10/12	12-0199	re-treat	0	\$ 530.08	\$ 304.00	\$ 440.00	\$ 2,100.87	0.0000	\$ -	0.0000	\$ -	0.0000	\$ -	136.1550	\$ 2,100.87	\$ 3,378.95	
12-014	2/17/12	12-0216	Frz Rain	0	\$ 1,700.98	\$ -	\$ 924.00	\$ 3,733.39	0.0000	\$ -	112.6800	\$ 1,738.65	20.7075	\$ 1,801.55	12.5200	\$ 193.18	\$ 6,358.57	
12-015	2/21-22/12	12-0236	Wet Snow	2	\$ 688.99	\$ -	\$ 565.00	\$ 2,183.70	5.0200	\$ 436.74	0.0000	\$ -	20.0800	\$ 1,746.96	0.0000	\$ -	\$ 3,437.69	
12-016	2/23/12	12-0242	Frz Rain	0	\$ 453.99	\$ -	\$ 444.00	\$ 1,024.66	0.6275	\$ 54.59	6.2600	\$ 96.59	10.0400	\$ 873.48	0.0000	\$ -	\$ 1,522.65	
12-017	2/24/12	12-0255	Wet Snow	4	\$ 1,603.42	\$ 7,368.15	\$ 1,246.00	\$ 5,899.17	2.5100	\$ 218.37	39.1250	\$ 603.70	58.3575	\$ 5,077.10	0.0000	\$ -	\$ 16,186.74	
12-017A	2/27/12	12-0256	re-treat	0	\$ 917.62	\$ -	\$ 919.00	\$ 2,028.43	0.0000	\$ -	125.2000	\$ 1,931.84	0.0000	\$ -	6.2600	\$ 96.59	\$ 3,865.05	
12-018	3/1/12	12-0270	Dry Snow	8	\$ 2,132.09	\$ 7,681.65	\$ 1,896.00	\$ 7,834.06	7.5300	\$ 655.11	40.6900	\$ 627.85	75.3000	\$ 6,551.10	0.0000	\$ -	\$ 19,543.80	
12-018A	3/2/12	12-0271	re-treat	0	\$ 1,662.04	\$ 2,143.30	\$ 1,140.00	\$ 4,614.20	5.0200	\$ 436.74	14.0850	\$ 217.33	28.8650	\$ 2,511.26	93.9000	\$ 1,448.88	\$ 9,559.54	
12-019	3/3/12	12-0272	w/rain dry snow	3	\$ 2,426.96	\$ 4,862.90	\$ 1,580.00	\$ 2,710.80	2.5100	\$ 218.37	28.1700	\$ 434.66	12.5500	\$ 1,091.85	62.6000	\$ 965.92	\$ 11,580.66	
12-019A	3/5/12	12-0273	re-treat	0	\$ 1,062.88	\$ 573.00	\$ 592.00	\$ 2,414.80	0.0000	\$ -	147.1100	\$ 2,269.91	0.0000	\$ -	9.3900	\$ 144.89	\$ 4,642.68	
12-020	3/10/12	12-0304	Wet Snow	3	\$ 939.38	\$ -	\$ 702.00	\$ 2,784.22	4.3925	\$ 382.15	0.0000	\$ -	27.6100	\$ 2,402.07	0.0000	\$ -	\$ 4,425.60	
12-021	3/28/12	12-0396	Wet Snow	0.25	\$ 133.09		\$ 89.00	\$ 109.19	0.0000	\$ -	0.0000	\$ -	1.2550	\$ 109.19	0.0000	\$ -	\$ 331.28	
2011-2012					\$ All Totals	\$ Labor	\$ Outside Contractor Total	\$ Equipt Total	\$ Materials Total	Materials Breakdown Total								
					\$323,686.47					Private				Town				
										Salt Qty	\$ Salt	Sand Qty	\$ Sand	Salt Qty	\$ Salt	Sand Qty	\$ Sand	
					TOTALS==>	\$52,967.24	\$74,309.78	\$36,988.00	\$159,421.45	136.7950	\$11,901.17	3,423.2650	\$52,820.98	892.7960	\$77,673.25	978.3150	\$135,095.40	
									\$Totals==>	Priv==>	\$64,722.14			Town==>	\$92,768.65			
Storm Reports										Priv&Town Totals==>		Total Salt Qty		Total Sand Qty				
												1029.5910		4401.5800				

Town of Moultonborough Fuel Usage Totals 2010 Gallons								2010
Highway Dept Usage		Recreation Dept Usage		Police Dept Usage		Fire Dept Usage		
Gas	Diesel	Gas	Diesel	Gas	Diesel	Gas	Diesel	
365.65	1617.96	32.19		903.33		135.91	169.11	January
375.92	770.52	37.23		948.52		133.59	153.12	February
509.90	1026.52			1536.18		273.23	346.07	March
117.00	202.14			249.04		48.09	63.23	April
341.02	572.79			990.65		131.86	118.92	May
409.50	837.80			972.09		167.07	221.56	June
445.51		29.15		1106.25		173.48	1013.87	July
408.03	794.12			1020.13		228.86	219.94	August
391.86	620.10	33.57		904.86		162.24	116.85	September
260.97	578.06	11.01		855.92		193.91	212.26	October
254.71	719.39	10.26		715.85		130.44	288.26	November
343.91	985.44	25.87		699.72		121.49	192.13	December
4223.98	8724.84	179.28	0.00	10902.54	0.00	1900.17	3115.32	Totals
							Gas	17205.97
							Diesel	11840.16

Town of Moultonborough Fuel Usage Totals 2011 Gallons								2011
Highway Dept Usage		Recreation Dept Usage		Police Dept Usage		Fire Dept Usage		
Gas	Diesel	Gas	Diesel	Gas	Diesel	Gas	Diesel	
562.62	2399.79	21.12		801.37		120.17	126.18	January
446.72	2384.85	23.12		764.77		143.46	262.03	February
461.88	1380.4	24.92		735.65		227.64	131.63	March
304.88	455.64	36.28		720.31		132.97	101.93	April
346.88	860.97	33.02		941.58		158.35	157.57	May
370.84	808.84	17.81		955.08		154.71	184.65	June
345.72	545.97	32.55		1107.97		208.05	275.72	July
436.53	1058.77	20.72		902.04		220.99	220.39	August
290.65	1366.65	5.17		695.5		222.69	117.91	September
308.32	642.94	13.03		723.64		170.19	94.6	October
368.02	554.88	18.76		801.51		128.29	153.04	November
322.49	1028.45	7.16		756.41		153.6	59.8	December
4565.55	13488.15	253.66	0.00	9905.83	0.00	2041.11	1885.45	Totals
							Gas	16766.15
							Diesel	15373.60

Town of Moultonborough Fuel Usage Totals 2012 Gallons								2012	
Highway Dept Usage		Recreation Dept Usage		Police Dept Usage		Fire Dept Usage			
Gas	Diesel	Gas	Diesel	Gas	Diesel	Gas	Diesel		
490	2523.83			838.4		137.92	158.95	January	
296.37	939.12	13.48		780.36		137.74	107.52	February	
376.77	1029.93	27.04		742.49		165.81	107.81	March	
235.08	585.14	35.46		781.17		186.17	133.68	April	
311.53	910.95	17.25		1127.2		235.65	233.04	May	
344.38	1135.11	27.35		1144.38		228.79	167.64	June	
267.36	796.47	19.5		1110.21		287.22	229.08	July	
249.82	1057.11	33.32		1078.66		227	177.21	August	
204.5	713.68	23.48		896.97		182.8	86.29	September	
247.32	747.73	33.09		863.52		239.3	78.14	October	
								November	
								December	
3023.13	10439.07	229.97	0.00	9363.36	0.00	2028.40	1479.36	Totals	
								Gas	14644.86
								Diesel	11918.43

# Town of Moultonborough

## Public Works

Box 139, 68 Highway Garage Rd  
Moultonborough, NH 03254  
603-253-7445- Office  
603-476-2400- Dispatch  
603-476-2657- Fax  
e-mail: [skinmond@moultonboroughnh.gov](mailto:skinmond@moultonboroughnh.gov)



**Scott D. Kinmond, Highway/Road Agent**  
**Director of Public Works**

MEMO

To: Board of Selectmen  
Town of Moultonborough, NH  
Cc: Carter Terenzini, Town Administrator  
From: Scott D. Kinmond, Highway/Road Agent  
Re: Job reclassification request  
Date: 9-24-12

Dear Honorable Board,

I would like to formally request that the current Job Classification for the Public Works Office Clerk, be reassigned as Administrative Assistant, at a labor grade VI. (See attached job description & scoring matrix)

### History:

Over the past 3 ½ years the Public Works Department has had some changes with staffing, and continues to be a work in progress regarding staffing allocations and assignments. Since hiring a part time office clerk we have been able to fine tune our Work Order tracking, and now have them electronically on file after data entering from the paper work order created by the staff. The office clerk **Angela Hoyt** has been instrumental in creating the data base collection program in Microsoft Excel. The department now collects data on all work orders, accounts payable & receivable, and payroll for all divisions and contracted vendors. This collected data is critically important to the town infrastructure and reporting to the CIPC, Town Departments and administration.

### Finding:

With this work it has become very apparent that the current job description and classification does not fit the detailed work being performed and necessary to perform for the current administrative position in the Public Works Administration Office. This has brought me to prepare a revised job description which directly reflects the duties and responsibilities which are involved with the tasks at hand for the department. Upon creation of the new job description, I then scored it within the "Town of Moultonborough, Position Classification Justification" scoring matrix. Upon scoring the position I received a relative score of 445, which places the position at a labor grade VI.

I would respectfully request that the recommendation stated above be granted.

Respectfully,  
Scott D. Kinmond, Highway/Road Agent  
Attachment (2)

# Town of Moultonborough, NH

**POSITION: Administrative Assistant**  
**FLSA STATUS: Non-Exempt**

**DEPARTMENT: Public Works Office**  
**REPORTS TO: Director of Public Works**

## **GENERAL SUMMARY**

Assists with administrative aspects of the office. Performs a variety of clerical and secretarial functions including word processing, data entry, electronic posting and other common office skills. This work requires the ability to coordinate with other Town departments and to interact with the public.

## **ESSENTIAL DUTIES AND RESPONSIBILITIES**

- Receives incoming telephone, e-mail and fax correspondence for Public Works Department and the Highway/Road Agent/Director.
- Receives public inquiries and provides available information and application forms required by Public Works Department. Performs research for inquiries, if needed.
- Prepares copies of Town documents requested by the public.
- Assists Highway/Road Agent/Director by taking in applications for Driveway or Street Excavation Permits, scheduling inspections, processing applications and distributing permits to applicants.
- Assists Highway/Road Agent/Director and others within the division with meeting minutes, intradepartmental communications as required.
- Handles all Accounts Payables/Receivables and payroll accounting for all divisions within the department
- Maintains/creates/builds Work Order/Payables/receivables/Payroll accounting, data entry, report generations and program management.
- Is responsible for general correspondence and document file maintenance.
- Maintains, distributes and publicizes all notices to property owners within all department project areas and or areas of road maintenance activities.
- Posts notices and other information on the Town website and maintains the office portion of the web site.
- Monitors the expiration dates of policy related certifications within the respective divisions' i.e CDL medical examinations, flagger certifications, CPR/AED certifications, and WMF Operators certifications.
- Ensures the maintenance of accurate and complete records of the office relating to Town Cemeteries.
- Handles project management accounting, and asset management record keeping.

## **OTHER DUTIES AND RESPONSIBILITIES**

Performs other related duties as requested.

## **DESIRED MINIMUM QUALIFICATIONS**

### **Education and Experience**

High school graduate or equivalent required. Associate Degree related to administration, management, accounting or related field desirable. Three years office managing experience preferred. Combinations of equivalent education or experience demonstrating required knowledge, skills and abilities may be substituted.

### **Knowledge, Skills and Abilities**

- Good written and oral communications skills.
- Ability to establish and maintain effective working relationships.
- Service orientation towards public, other employees and other Town officials essential.

### **SUPERVISION EXERCISED**

None.

### **LICENSING AND CERTIFICATION**

None.

### **TOOLS AND EQUIPMENT USED**

Computers, calculator, copier, fax machine, phone and other general office equipment.

### **PHYSICAL DEMANDS**

The physical demands described here are representative of those that must be met by an employee to successfully perform the essential functions of this job. Reasonable accommodations may be made to enable individuals with disabilities to perform the essential functions.

While performing the duties of this job, the employee is frequently required to stand; walk; sit; use hands to finger, handle, or feel; reach with hands and arms and talk, see and hear. The employee must occasional lift/move up to 25 pounds, bend, stoop or crouch. Occasional site walks may require walking on unimproved surfaces in their natural state, in naturally occurring weather conditions and environments.

### **WORK ENVIRONMENT**

The work environment characteristics described here are representative of those an employee encounters while performing the essential functions of this job. Reasonable accommodations may be made to enable individuals with disabilities to perform the essential functions.

Work is primarily performed in office setting, though periodic site visits may require performance of job functions outdoors for short periods of time. Attendance at night meetings is required.

**External and internal applicants, as well as position incumbents who become disabled as defined under the Americans With Disabilities Act, must be able to perform the essential job functions (as listed) either unaided or with the assistance of a reasonable accommodation to be determined by management on a case by case basis.**

Approved this XX day of September, 2012

\_\_\_\_\_  
Joel R. Mudgett, Chairman

\_\_\_\_\_  
Edward J. Charest

\_\_\_\_\_  
Betsey L. Patten

\_\_\_\_\_  
Russell Wakefield

\_\_\_\_\_  
Jonathan Tolman  
BOARD OF SELECTMEN

# **Town of Moultonborough, NH**



## **POSITION CLASSIFICATION JUSTIFICATION**

**APRIL 2010**

# Town of Moultonborough, NH

## Position Classification Justification

Why is this Justification being completed?   X   *Reclassification of Existing Job*

       *Periodic Revaluation of Existing Job*

       *New Job Being Proposed*

### General Information:

Job/Position Title Administrative Assistant-Public Works Department

Department Public Works

Supervisor's Name Scott Kinmond Title Road Agent/ Director

### 1. Factors: (attach additional sheets if necessary)

- List the **essential** duties and responsibilities of your position in order of importance. Emphasize **what** you do rather than how you do it.
- Indicate the percentage of time devoted to each duty **during the work year**. Total percentage must equal 100%.

	Factors	Number of Degrees	Maximum Points	Points Assigned
1	Knowledge/Education	7	500	50
2	Experience	8	500	50
3	Complexities	5	400	50

4	Accountability (Impact of Errors)	5	500	75
5	Internal Relationships	5	500	75
6	External Relationships	5	500	75
7	Supervision	5	300	50
8	Physical Demands	3	50	10
9	Work Environment	3	50	10
10	Life and Limb and Market	2	50	0
			<b>TOTAL:</b>	445

**What grade is justified by inserting the job score into the classification matrix?**

VI

Is this the grade you are recommending? XX\_\_ Yes \_\_\_\_\_ No

If no, what grade are you recommending? \_\_\_\_\_

In which "Family" would you classify this position?

- ☒ Administrative Support ☐ Financial Services  
☐ Technical/Paraprofessional ☐ Skilled Craft/Trades  
☐ Supervisory Services

Explain the difference based upon a Market or Experience Factor:

No difference other than the duties, responsibility and then the abilities & requirements of the position



\_\_\_\_\_  
Department Head's Signature

9-24-12

\_\_\_\_\_  
Date

Quote

Bill To:

Town Of Moultonborough  
Moultonborough, NH 03254

Invoice #: 00075480

Ship To:

Town Of Moultonborough  
Moultonborough, NH 03254

Net 15 after EOM 9/18/12 1

1	misc	372 xp 24"	\$769.00	\$769.00
1	misc	563 at	\$699.00	\$699.00


\$1,468.00  
\$0.00  
\$0.00  
\$1,468.00  
\$0.00

\$1,468.00



## HUSQVARNA 372 XP®

A true professional saw built for very demanding applications, including felling and general logging. The crankcase and crankshaft are extra heavy-duty and the carburetor has vibration dampening in order to handle high speeds and high loads. This saw combines low weight, high power and rapid acceleration with flexible operation.



### Air Injection

Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter. This results in reduced air filter cleanings and improved engine life.



### LowVib®

System designed to reduce vibration levels to the operator, which lessens fatigue.



### Side-mounted chain tensioner

Easier access to chain tensioning device.



### Three-piece crankshaft

Forged three-piece crankshaft for maximum durability for the toughest applications.



### Magnesium crankcase

Sturdily built crankcase withstands high rpms and tough professional use, ensuring a long service life.



### Adjustable oil pump

Allows you to control oil flow depending on application and weather conditions.

### Additional features

#### Front handle ergonomics

Better grip and a 7" offset handle reduces fatigue.

#### Quick release air filter cover

Quick release cover saves time when cleaning or changing spark plug or filter.

#### Inertia activated chain brake

Reduces the likelihood of injury due to kickback.

#### Quick-release air filter

Facilitates cleaning and replacement of the air filter.

#### Smart Start®

The engine and starter have been designed so the machine starts quickly with minimum effort.

### Technical data

<http://www.husqvarnaretailer.com/node3887.aspx?nid=353432&pid=119843>

Page 1 of 2

<http://www.husqvarnaretailer.com/node3887.aspx?nid=353432&pid=119843>

Page 2 of 2

**Engine specification**

Cylinder displacement	70.7 cc
Cylinder bore	1.97 inch
Cylinder stroke	1.42 inch
Power output	5.3 hp
Maximum power speed	9600 rpm
Maximum recommended engine speed	13500 rpm
Ignition system	SEM AM50
Ignition module air gap	0.01 "
Idling speed	2700 rpm
Spark plug	Champion RCJ7Y, NGK BPMR7A
Electrode gap	0.02 "

**Lubricants**

Oil tank volume	0.84 US pint
Oil pump type	Adjustable flow
Oil pump capacity	4-20 ml/min

**Cutting equipment**

Chain pitch	3/8"
Recommended bar length, min-max	15"-28"
Chain speed at max power	70.21 fts
Bar mount	Large

**Vibration & noise data**

Equivalent vibration level (ahv , eq) front / rear handle	3.5/4 m/s <sup>2</sup>
Sound pressure level at operators ear	103 dB(A)
Sound power level, guaranteed (LWA)	115 dB(A)

**Overall dimensions**

Weight (excl. cutting equipment)	13.4 lbs
----------------------------------	----------

**Logistical Data**


Packaging size, LxWxH	1.89x1.04x1.36 inch
Pallet Size, LxWxH	4.72x3.94x8.74inch
Pallet quantity	60

**Accessories**



# HUSQVARNA 562 XP® NEW!


Husqvarna 562 XP® is developed for professional loggers and skilled landowners. The saw has a ground breaking design and is loaded with innovative solutions for efficient, convenient operation with large air filter and bar options up to 24". Our unique X-Torq® engine technology provide more power where you need it, up to 20% less fuel consumption and 60% less exhaust emission. RevBoost™ provides instant high chain speed for extra efficient de-limbing.



**X-Torq®**  
Delivers lower fuel consumption and reduced exhaust emission levels in accordance with the world's most stringent environmental regulations.



**AutoTune**  
AutoTune gives optimal engine performance throughout automatic engine setting. No time spent on carburetor adjustments. It compensates for different fuels, altitude, humidity, temperature and clogged air filter.



**RevBoost™**  
Rapid acceleration and higher chain speed for best limbing performance.



**Air Injection**  
Centrifugal air cleaning system removes larger dust and debris particles before reaching the air filter. This results in reduced air filter cleanings and improved engine life.



**LowVib®**  
System designed to reduce vibration levels to the operator, which lessens fatigue.



**Adjustable oil pump**  
Allows you to control oil flow depending on application and weather conditions.

## Additional features

**Fast acceleration**  
Low weight on all moving engine parts means fast acceleration.

**Combined choke/stop control**  
Allows for easier starting and reduces the risk of engine

**Quick-release air filter**  
Facilitates cleaning and replacement of the air filter.

**Side-mounted chain tensioner**  
Easier access to chain tensioning device.

**Quick release air filter cover**

flooding.

#### Magnesium crankcase

Sturdily built crankcase withstands high rpms and tough professional use, ensuring a long service life.

#### Snap-lock cylinder cover

Saves time when changing spark plugs and cleaning.

#### Smart Start®

The engine and starter have been designed so the machine starts quickly with minimum effort.

#### Felling marks

Distinct, colored marks used for aiming the direction of timber fall.

#### Air Purge

Removes air from carburetor and fuel system for easy starting.

#### Inertia activated chain brake

Reduces the likelihood of injury due to kickback.

Quick release cover saves time when cleaning or changing spark plug or filter.

#### Three-piece crankshaft

Forged three-piece crankshaft for maximum durability for the toughest applications.

#### Slimmed-down design

Low, slender saw body makes the chainsaw easy and convenient to handle in any situation.

#### Visible fuel level

Transparent fuel indicator makes it easy to check fuel level.

#### Retained bar nuts

The retaining function prevents losing the bar nuts.

## Technical data

### Engine specification

#### Cylinder displacement

59.8 cc

#### Cylinder bore

1.81 inch

#### Cylinder stroke

1.42 inch

#### Power output

4.7 hp

#### Maximum power speed

9600 rpm

#### Maximum recommended engine speed

14000 rpm

#### Carburetor

Zama EL47

#### Ignition system

SEM DM61

#### Ignition module air gap

0.01 "

#### Idling speed

2800 rpm

#### Spark plug

NGK CMR6H

#### Electrode gap

0 "

### Lubricants

#### Oil tank volume

0.7 US pint

#### Oil pump capacity

6-15 ml/min

### Cutting equipment

#### Chain pitch

3/8"

#### Recommended bar length, min-max

15"-28"

#### Chain speed at max power

69.9 fts

#### Bar mount

Large

### Vibration & noise data

#### Equivalent vibration level (ahv , eq) front / rear handle

2.7/3.2 m/s²

#### Sound pressure level at operators ear

106 dB(A)

#### Sound power level, guaranteed (LWA)


118 dB(A)

### Overall dimensions

Weight (excl. cutting equipment)

12.57 lbs

Accessories



**JAMAR**  
Technologies, Inc.

*Making Data Collection Easier*

Scott Kinmond  
Moultonborough Highway Dept.  
68 Highway Garage Road  
PO Box 139  
Moultonborough, NH 03254

Dear Mr. Kinmond,

I would like to introduce you to the JAMAR vehicle installed distance measuring instruments. The enclosed literature will introduce you to the **"NEW" RAC Plus Series Instruments**. A time saving device that replaces the hand-wheel, the DMI allows you to measure safely and accurately from any vehicle in your fleet. Our instruments provide the features and capabilities necessary for everyday distance measurements or more involved roadway inventory requirements from the luxury of your own vehicle.

I would like to point out some of the features that separate our DMIs from the competition:

- **Bright Dual LED Display (easy to read day and night)**
- **Accuracy to +/- 1 foot per mile**
- **Ease of Operation**
- **5 Year Warranty**
- **Quality Components in a Compact Casing**
- **Modular Distance Sensor (easiest to install on the market)**
- **No Compatibility problems with our vehicle kits/sensors (plug-in interchangeable with other brand DMI)**

The enclosed literature will describe both the RAC +I and RAC +III models, as well as various accessory items including the **new OBD Sensor**. These units are direct replacements for the JAMAR RAC-100 and RAC-200 models. The new RAC +III GPS unit is available with the best accuracy of any GPS unit on the market. **Guaranteed GPS co-ordinates to within 3 meters**. For more information, please e-mail or call us toll-free.

Respectfully yours,

Ken Arnold  
JAMAR Technologies, Inc.  
Sales Representative  
[ken@jamartech.com](mailto:ken@jamartech.com)  
1-800-776-0940

Telephone 215-361-2244

Toll Free 800-776-0940

Fax 215-361-2267

[www.jamartech.com](http://www.jamartech.com)  
[sales@jamartech.com](mailto:sales@jamartech.com)

*You count with us!*

1500 Industry Road, Suite C  
Hatfield, PA 19440

## BID SPECIFICATIONS

### RAC Plus I Specifications

**Power:** 9 to 16 VDC, negative ground.

**Display:** Dual 6 digit window, high intensity LED. Separate LED indicators for unit of measurement and interval distance. Four brightness levels.

**Accuracy:** +/- 1 foot per mile.

**Resolution:** 1 foot.

**Keyboard:** 20 sealed keys, 5 million operation with click & tone feedback. ON/OFF slide switch.

**Speed Display:** Three digit 0-999 (mph & kph) displayed simultaneous with distance.

**Time:** Elapsed/Real Time (hh,mm,ss).

**Count:** Bi-Directional (Up/Down).

**Calibration:** Automatic & manual with four vehicle calibration and vehicle number ability. Non-Volatile EEPROM Memory.

**Test:** System check on power up w/display of calibration & vehicle number.

**Automatic Distance Conversion:** Miles (thousandths) to Total Feet to Meters (kilometers).

**Count Hold:** Stops accumulation of distance.

**Display Hold:** Freezes display without loss of distance.

**Pre-distance:** Capability of starting at known distance or Add/Subtract desired distance value from current distance display.

**Interval Distance:** Display of distance between selected events & total distance.

**Distance Pulse Output:** 0-5 VDC, low going high, user selectable interval and duration.

**Memory Retention:** Non-Volatile EEPROM for calibration & vehicle numbers — 50+ years retention.

**Circuitry:** Solid state, surface mount, modular, EEPROM, micro-computer.

**Case:** ABS plastic.

**Dimensions:** 7.8"W x 2.3"H x 1.2" D.

**Weight:** 6.5 oz.

**Operating Temperature:** 0°C to 75°C.

**Warranty:** 5-year instrument warranty.

**Example:** JAMAR Technologies RAC Plus I.

### RAC Plus III Specifications (In addition to the above)

**Memory:** 4 MB memory, 400,000 Event locations, 0-9999 Event code identifiers, Distance, Time & Speed, up to 30 hours of GPS data.

**Memory Retention:** Non-volatile EEPROM, calibration & vehicle numbers.

**Data Output:** Serial RS-232.

**GPS Compatibility:** Receive and store GPS coordinates.

**WAAS enabled, 12 channel GPS receiver capability allows 2D GPS accuracy of approximately 2 meters.**

**Without WAAS, depending on the location in the continental US and satellite accessibility, horizontal GPS accuracy is approximately 6 meters.**

**Example:** JAMAR Technologies RAC Plus III.



**JAMAR**  
Technologies, Inc.

*You count  
with us!*

Telephone 1-215-361-2244  
Toll Free 1-800-776-0940  
Fax 1-215-361-2267  
E-Mail sales@jamartech.com  
Web Site www.jamartech.com

## Price Schedule: Distance Measuring Instruments

PART #	COMPLETE KITS	See back of Price Schedule for operating features and specifications	PRICE
RAC+ I-MS-K	RAC Plus I DMI with Vehicle Kit and Modular Sensor.....		\$ 595.00
RAC+ I-MAG-K	RAC Plus I DMI with Vehicle Kit and Magnetic Sensor.....		\$ 625.00
RAC+ I-OB-D-K	RAC Plus I DMI with AutoLink OBD Sensor.....		\$ 845.00
RAC+ III-MS-K	RAC Plus III DMI with Vehicle Kit and Modular Sensor.....		\$ 825.00
RAC+ III-MAG-K	RAC Plus III DMI with Vehicle Kit and Magnetic Sensor.....		\$ 855.00
RAC+ III-OB-D-K	RAC Plus III DMI with AutoLink OBD Sensor.....		\$1124.00
RAC+ III-GPS-MS-K	RAC Plus III DMI with GPS Kit, Vehicle Kit and Modular Sensor.....		\$1040.00
RAC+ III-GPS-MAG-K	RAC Plus III DMI with GPS Kit, Vehicle Kit and Magnetic Sensor.....		\$1070.00
RAC+ III-GPS-OB-D-K	RAC Plus III DMI with GPS Kit and AutoLink OBD Sensor.....		\$1334.00
PART #	INSTRUMENT ONLY		PRICE
RAC+ I-IO-K	RAC Plus I Distance Measuring Instrument Instrument Only.....		\$ 430.00
RAC+ III-IO-K	RAC Plus III Distance Measuring Instrument Instrument Only.....		\$ 695.00
RAC+ III-GPS-IO-K	RAC Plus III Distance Measuring Instrument with GPS System.....		\$ 905.00
PART #	PARTS AND ACCESSORIES		PRICE
NL-OB-D2	AutoLink OBD Distance Sensor.....		\$ 429.00
RAC-MSVK-K	Modular Distance Sensor with Vehicle Kit.....		\$ 195.00
RAC-MS-K	Modular Distance Sensor (Vehicle Kit not included).....		\$ 160.00
RAC-MVK-K	Vehicle Kit for Modular Sensor (Sensor not included).....		\$ 45.00
RAC-MAGVK-K	Magnetic Sensor with Vehicle Kit.....		\$ 225.00
RAC-MAG	Magnetic Sensor (Vehicle Kit not included).....		\$ 175.00
RAC-VK	Vehicle Kit for Magnetic Sensor (Sensor not included).....		\$ 60.00
RAC-MAGNET-K	Replacement Magnet Kit (Includes 10 magnets, 1 epoxy packet, 1 instruction sheet).....		\$ 20.00
RAC-MB-W-K	Windshield Mounting Bracket Use with any shallow case design DMI.....		\$ 39.00
RAC-GPS-R-K	GPS Kit (RAC +III\GPS only) (Includes GPS Receiver and Data Interface) .....		\$ 225.00
RAC-232-Plus-K	RS-232 Cable Kit Serial Interface cable for RAC Plus III to computer.....		\$ 60.00
RAC-PS-K	Power Supply For providing power to RAC Plus III while in office downloading to computer.....		\$ 60.00
RACPro-K	RACPro RAC Plus III Software, Windows (XP, Vista and Windows 7) compatible. Allows data retrieval, editing & reporting. Supplied with RS-232 cable, power supply, USB Serial Adapter & manual		\$ 695.00
RACPro-MP-K	RACPro with Mapping All of RACPro-K plus addition of Microsoft MapPoint 2010		\$ 995.00

**NOTE:** Always specify Make-Year-Model of vehicle when ordering. A special sensor may be required.

**TERMS:** NET 30 days for open account billing for government agencies, institutions, schools and well rated firms. C.O.D., Pre-paid or Credit Card (MC/ VISA/AE) orders are accepted. **PLEASE CALL FOR PRICING ON INDIVIDUAL PARTS, COMPONENTS, OR CUSTOM-MADE CABLES.**

FOB Hatfield, PA  
February 2012

All Prices in US Dollars  
Subject to Change Without Notice

Quality Hardware • Quality Software • Quality Service

# Pallet Trucks



## Pallet Trucks

### DAYTON®

Features a cushion grip with a 3-position lever, and a flow valve for controlled lowering. Push rods are fixed with no adjustment needed. 4mm thick steel with reinforced fork bracing and sealed ball bearings on wheels.

### LIFT-RITE® AND BT

All units have top-of-stroke bypass to protect pump from overpressure. 1-piece cast pump has leakproof double seal. Cartridge valve provides controlled lowering. Precision thrust bearing and greasable plate makes steering easy. Oil-impregnated bushings at pivot points. Handle has 3-position control lever. Reinforced 4mm thick truck chassis. Adjustable push rods maintain optimal fork alignment, except No. 2YA85.

### STANDARD

No. 2ZE57 allows loads rated 400 lbs. or less to be lifted in a max. of 4 pumps of the handle.

### LOW-PROFILE

For easy access to pallets with 2" high opening.

### NARROW

Narrow fork design with entry glides and exit rollers allow easier access to smaller pallets with decks up to 24"W.

### NARROW AND LOW-PROFILE

For use with plastic and wooden pallets with decks up to 24"W with a 2"H opening.

### WITH SCALE

Accurately check load weight without a platform scale.

### Dayton®


Features an auto-print unit-of-measure switch (kg to lbs.), low-battery icon, and auto poweroff. Uses 4 standard C batteries (not included).

### Lift-Rite®

Compact and lightweight design features cumulative weighing and calculates piece counts. Displays in kilograms and pounds. Weigh scale accuracy is 99.9% of applied weight. 1-piece cast pump with no weld leaks, and 10 grease fittings at key pivot points. Sealed Lead Acid 12VDC battery provides 35 hours of service and includes charger.




Lift-Rite® Standard




Dayton® Low-Profile



Dayton® Narrow



Lift-Rite® Narrow and Low-Profile



Lift-Rite® with Scale

Load Cap. (lb.)	Fork Height (In.)	Width Across Forks (In.)	Width Between Forks (In.)	Fork Size (In.)	Overall L (In.)	Main Wheel Size (In.)	Wheel Material	Roller Dia. (In.)	Rollers	Color	Brand	Item No.	\$ Each
Standard	Lowered Raised			L W									
4400	2 3/4 7 1/2	27	14 3/8	48 6 1/4	60	7 1/4	Polyurethane	3	Polyurethane	Blue	Dayton	5LA79	381.00
5000	2 3/4 7 1/2	27	14 3/8	48 6 1/4	61-8/10	6 1/4 x 2 1/2	Polyurethane	2 1/4	Polyurethane	Red	Dayton	2YA85	457.00
5500	2 3/4 7 1/2	27	14 3/8	42 6 1/4	50	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	2TUR7	497.00
5500	2 3/4 7 1/2	27	14 3/8	48 6 1/4	56	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	2TUR5	563.00
5500	2 3/4 7 1/2	27	14 3/8	48 6 1/4	62	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	4YX97	584.00
5500	2 3/4 7 1/2	27	14 3/8	48 6 1/4	63 1/2	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	2ZE57	679.00
5500	2 3/4 7 1/2	27	14 3/8	48 6 1/4	62	7	Nylon	2 1/4	Nylon	Silver	Dayton	2TUR3	653.00
5500	2 3/4 7 1/2	27	14 3/8	48 6 1/4	62	7	Nylon	3	Nylon	Yellow	Lift-Rite	2NUY9	644.00
5500	2 3/4 7 1/2	27	14 3/8	48 6 1/4	62	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	4YX96	733.00
6000	2 3/4 7 1/2	27	14 3/8	48 6 1/4	62	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	2ZE60	783.00
8000	2 3/4 7 1/2	27	14 3/8	48 6 1/4	62	8	Steel	3	Steel	Yellow	Lift-Rite	4ZJ78	951.00
Low Profile	2 6 1/4	27	14 3/8	48 6 1/4	63 1/2	7 1/4	Polyurethane	1 3/4	Steel	Red	Dayton	2ZE59	667.00
4400	2 6 1/4	27	15	48 6	61 1/2	7	Nylon	2	Steel	Yellow	Lift-Rite	2TWA5	769.00
5000	2 6 1/4	27	15	48 6	61 1/2	7	Nylon	2	Steel	Yellow	Lift-Rite	2TWA5	769.00
Narrow	2 3/4 7 1/2	20 1/2	7 1/8	36 6 1/4	50	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	2TUR8	480.00
5500	2 3/4 7 1/2	20 1/2	7 1/8	42 6 1/4	56	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	2TUR6	490.00
5500	2 3/4 7 1/2	20 1/2	7 1/8	48 6 1/4	61 1/2	7 1/4	Polyurethane	2 1/4	Polyurethane	Red	Dayton	2ZE58	510.00
5500	2 3/4 7 1/2	20 1/2	7 1/8	48 6 1/4	62	7	Nylon	3	Nylon	Yellow	Lift-Rite	2NJZ1	725.00
5500	2 3/4 7 1/2	20 1/2	7 1/8	48 6 1/4	62	7	Nylon	2 1/4	Nylon	Silver	Dayton	2TUR4	650.00
5500	2 3/4 7 1/2	20 1/2	7 1/8	48 6 1/4	62	7 1/4	Polyurethane	1 3/4	Steel	Red	Dayton	2ZE63	659.00
5500	2 3/4 7 1/2	20 1/2	7 1/8	48 6 1/4	63 1/2	7 1/4	Polyurethane	1 3/4	Steel	Yellow	Lift-Rite	2TWA4	790.00
Narrow, Low Profile	2 6 1/4	20 1/2	7 1/8	48 6 1/4	61 1/2	7	Steel	2	Polyurethane	Red	Dayton	2ZE61	2,304.00
4400	2 6 1/4	20 1/2	8 1/4	48 6 1/4	61 1/2	7	Polyurethane	2 1/4	Polyurethane	Yellow	Lift-Rite	1AGU3	4,107.00
5000	2 6 1/4	20 1/2	8 1/4	48 6 1/4	62	6 5/8	Polyurethane	3 3/8	Polyurethane	Black	Lift-Rite	1AGU4	325.00
With Scale	3 7 1/2	27	14 3/8	48 6 1/4	58 1/2	7	Polyurethane	3 3/8	Polyurethane	Black	Lift-Rite	1AGU4	325.00
4400	3 7 1/2	27 1/2	14	45 6 1/4	58 1/2	7	Polyurethane	3 3/8	Polyurethane	Black	Lift-Rite	1AGU4	325.00

121 SHEEP DAVIS RD  
 PEMBROKE NH 03275  
 (800) 675-0124

P6EE6

908809-00

MOULTONBOROUGH TOWN OF MOULTONBORO NH  
 HIGHWAY DEPT  
 68 MOULTONBORO NECK RD  
 MOULTONBOROUGH NH 03254-4122 24-SEP-12 12:41PM CRT:TNA1712

09/24/12

001 OF 002

QTE	UNIT	HW	DESCRIPTION	ID	LINE	ITEM	LOC	QTY	SHIP	RETN	VOL/	UNIT	EXTENDED
SHIP			& HAZARD CLASS	NUMBER	NO	NUMBER		ORDER			WT	AMOUNT	AMOUNT

\*\*\*\*\* QUOTE \*\*\*\*\*

1	CL	X	JIM UN1006 ARGON, COMPRESSED 2.2	6	AR	300	PN5	1	1		336	120.00	120.00
---	----	---	----------------------------------------	---	----	-----	-----	---	---	--	-----	--------	--------

177.0

(ARGON INDUSTRIAL SIZE 300)  
 (CGA 580)

<<<<<<Estimated delivery:09/25>>>>>>

\*ABOVE PART NUMBERS ARE FOR A LEASE OF THE CYLINDER FOR ONE YEAR & FILL

QTY	UNIT	HW	DESCRIPTION	LINE	ITEM	LOC	QTY	QTY	BIN	WT	UNIT	EXTENDED
SHIP			& HAZARD CLASS	NO	NUMBER		ORDER	BKORD	LOC		AMOUNT	AMOUNT

1	EA		SPOOLMATIC 15A	2	NIL	195156	PN5	1	0	.0	947.85	947.85
1	EA		SPOOLMATIC 30A	3	NIL	130831	PN5	1	0	.0	1086.30	1,086.30

\*\*\* Serial Numbers Required \*\*\*

\*\*ABOVE PART NUMBERS ARE FOR THE SPOOL GUN. THE ONLY DIFFERENCE IS LENGTH

1	CL		ARGON LARGE 1 YR LSE	5	LSE	ARL12	PN5	1	0	.0	41.34	41.34
2	EA		ER4043 ALUM MIG WIRE .035	9	RAD	64001502	PN5	2	0	SR34	17.0324	34.06

RADNOR LIN

1	PK		TIP FASTIP .312 OD .040 AND .035	10	NIL	206187	PN5	1	0	SR21	39.50	39.50
---	----	--	----------------------------------	----	-----	--------	-----	---	---	------	-------	-------

AL WIRES

\*ABOVE PART NUMBERS ARE FOR THE ALUMINUM WIRE & REPLACEMENT TIPS FOR

SPOOL GUN

1	SO		309L .035 X 10# S/S SP	13	HAR	0309LF5	PN5	1	0	.0	118.182	118.18
---	----	--	------------------------	----	-----	---------	-----	---	---	----	---------	--------

ABOVE PART NUMBER IS FOR THE STAINLESS STEEL WIRE

908809-00

MOULTONBOROUGH  
 HIGHWAY DEPT  
 68 MOULTONBORO NECK RD  
 MOULTONBOROUGH NH 03254-4122

QUOTE - JIM P6EE6 00 0

908809-00 09/24/12 CUST PICKUP -NONE-

AIRGAS EAST  
121 SHEEP DAVIS RD  
PEMBROKE NH 03275  
[800] 675-0124

QUOTE - JIM

4706

P6EE6

908809-00

MOULTONBOROUGH  
HIGHWAY DEPT  
68 MOULTONBORO NECK RD  
MOULTONBOROUGH NH 03254-4122

TOWN OF MOULTONBORO NH

09/24/12

002 OF 002

24-SEP-12 12:41PM CRT:TNA1712

QTE 171 429 530 0 X CUST PICKUP

09/24/12 116 KR

QTY	UNIT	HM	DESCRIPTION	LINE	ITEM	LOC	QTY	QTY	BIN	WT	UNIT	EXTENDED
SHIP			& HAZARD CLASS	NO	NUMBER		ORDER	BKORD	LOC		AMOUNT	AMOUNT
1	EA		ARGON SURCHARGE PER CYLINDER	15	SRC ARGONSRCHGCL PN5		1	0		.0	.2000	.20

Total Weight: 177.0

Subtotal 2,387.43

Tax: .00

Total Sale 2,387.43

Customer phone number: 603-233-7445


908809-00

MOULTONBOROUGH  
HIGHWAY DEPT  
68 MOULTONBORO NECK RD  
MOULTONBOROUGH NH 03254-4122

QUOTE - JIM P6EE6 00 0

908809-00 09/24/12 CUST PICKUP -NONE-

## CountyLine® Portable Barrel Fan, 42 in.



Q Find it

\$299.99

In select stores only

## Product Reviews

OVERALL CUSTOMER RATING:

★ ★ ★ ☆

6 out of 13 (46%) customers would recommend this product to a friend.  
Read all 13 reviews · Write a review  
Follow this product

## Product Description

SKU Number: 3240764

Manufacturers Number: CL-42-BDF

Brand: CountyLine®

Stand Type: Floor

Fan Blade Diameter: 42 in.

Overall Width: 19-1/8 in.

Overall Length: 43 in.

Overall Height: 44-2/5 in.

Case Material: Steel

Current Rating: 4.9 A

Power Rating: 120 V

Air Flow: 13300 CFM

Number of Speeds: 2

Warranty: 1-Year Limited

Color: Black

Description

Reviews

CountyLine® Portable Barrel Fan features 2 speeds and is great for high capacity work.

- Heavy-duty 42 in. fan blades with 9,500 CFM on low & 13,300 CFM on high
- 8 ft. power cord included
- Quiet, long lasting belt drive designs improves motor performance
- Patented fold-out 10 in. solid wheel design
- 1 year limited warranty

[View Product Manual](#)

Tractor Supply is proud to introduce CountyLine®, our brand of high quality, competitively priced agricultural products. With a full line of 3-point equipment for your tractor, as well as an assortment of sub-compact pieces, our goal is to provide you with the implements you need to get the job done. Designed for durability and superior performance, all CountyLine® products come with satisfaction guaranteed.

[Top of Page](#)

Products > Browse All Tools and Accessories > Smart Level

48 in M-D Digital Level - Digital Carpenter Level - Smart Level reads in Degrees, Percent of Slope, or Pitch



**Product Includes:**  
48 in. Digital Level - Smarttool  
Operation Manual  
9-V Battery

**Manufacturer:**  
MD


**Part Num:**  
92296

List Price: \$189.95  
**Our Price: \$169.95**  
Save: \$20.00 (11%)

Qty  [Add To Cart](#)

**SmartTool - Electronic level reads in degrees, percent slope and pitch!**

The Smart Tool is based around an electronic module which can display angle over a full 360° range with a resolution of 0.1°. It is available as either a stand alone module or as a 24 in. or 48 in. long levelling tool. The module can be used as supplied, or it can be panel mounted into your product or equipment. The SmartTool levels can be used in a variety of applications as both a conventional level and as an angle setting or measuring tool.



Hover over thumbnails above to view full size image.

**Controls include:**

- **ON/OFF** - automatic shut-off if left idle for 6 minutes
- **HOLD** - freeze or unfreeze display readings
- **LISTEN & LEVEL AUDIO** - beeper will sound at level and plumb
- **CALIBRATE** - simple two-step calibration procedure (recommended once per day)
- **Deg.,%,IN/FT** - select display units
- **UP/DOWN ARROWS** - show direction of tilt to reach level or plumb
- **LOW BATTERY** - low 9V battery indicator

**Features include:**

- Displays in degrees, percent, and inches/foot
- Indestructible block acrylic vials
- Patented liquid sensor made in the USA
- Over 2 million sold
- 500 hour battery life (9 volt battery included)
- Patented calibration in both level and plumb
- Calibrate on any semi level surface without vials
- High visibility LCD display
- Display image flips when upside down
- Listen and Level Audio tone at level and plumb
- Hold button freezes display
- 1 year warranty

**Product Includes:**

- 48in. Digital Level - Smarttool
- Operation Manual
- 9-V Battery

**Accessories Available**


- Accessibility Strap for 24 Inch SmartTool Digital Level  
\$29.95
- 48in. - 120 CM Smart Level Case Soft Case  
\$27.95
- 48 in. Digital Level - Digital Carpenters Level SmartTool W/Carrying Case - Degrees, Percent of Slope, or Pitch + Smart Level  
\$197.95
- MD - 48 in. Carpenter level Hard Case  
\$25.00

Smart Tool enables you to find level and plumb in two ways. For quick reference, use the sensitive acrylic bubbles. For high precision, use the digital display with amazing accuracy within 1/10 of a degree. If you're not dealing with plumb or level, Smart Tool quickly identifies any angle in 3 different modes: degrees, % slope and pitch.

Carry-On Trailer® 5 ft. x 8 ft. Wood Floor Trailer, 1,425 lb. Capacity



**Questions?**  
Ask one of our  
Customer Care Experts  
1-877-718-6750



 [Image](#)

**\$799.99**

In select stores only

**Product Reviews**

OVERALL CUSTOMER RATING:

★ ★ ★ 1 3

5 out of 7 (71%) customers would  
recommend this product to a friend.  
[Read all 7 reviews](#) [Write a review](#)  
[Follow this product](#)

**Product Description**

SKU Number: 1012438


Brand: Carry-On Trailer®  
Type: Open  
Application: Utility  
Payload Capacity: 1,425 lb.  
Gross Vehicle Weight Rating: 2,000 lb.  
Empty Weight: 575 lb.  
Bed Width: 5 ft.  
Bed Length: 8 ft.  
Floor Type: Wood  
Tire Diameter: 13 in.  
Tire Weight Rating (ea.): 1,100 lb.  
Coupler Type: Straight Tongue Coupler  
Coupler Size: 1-7/8 in.  
Ramp Location: Back  
Ramp Length: 4 ft.  
Number of Axles: 1

[Description](#)

[Reviews](#)

Get one trailer to handle your general hauling needs with the Carry-On Trailer® 5 ft. x 8 ft. Wood Floor Trailer. It has a payload capacity of 1,425 lb. and a 2,000 lb. GVWR (Gross Vehicle Weight Rating), making it the perfect trailer for any basic hauling job. Haul wood, ATVs, lawn tractors, hay, and more. This trailer is perfect for the work site or around the farm.

[Top of Page](#)



ReelWorks Cord Reel — 65Ft., 12/3 SJT/3C Cord,  
Model# CR625231N

Part # 155909

Only \$139.99

In Stock

Customer Product Rating

☆☆☆☆☆4.8 / 5

6 of 6 would recommend this product to a friend.

Description   Customer Reviews   Product Q & A   Top Accessories   Warranty   Related Products

Description

[Top of page](#)

OVERVIEW

This high-quality, impact-resistant polypropylene Reelworks Cord Reel holds a 65ft., 12/3 cord for easy, tangle-free winding and storage protection.

FEATURES + BENEFITS

Cord self-retracts thanks to an internal spring mechanism

WHAT'S INCLUDED

(1) Cord reel

KEY SPECS

Length (ft.)	65
Cord Size	12/3
Amps	15
Lead-in Cord Length (ft.)	5
Mount Type	Wall or ceiling
Plug Type	3-prong
Color	Red
Manufacturer Warranty	12 months limited parts / No labor
Ship Weight	24.2 lbs
Item#	155909

BRAND

Reelworks.   [Shop for ReelWorks](#)

Customer Reviews

[Top of page](#)


[Review](#)  
[Review](#)  
[Terms](#)  
[This](#)  
[Products](#)

Choose a sort order ▾


## ▼ Backpack Blowers Features & Benefits\*

Model EBZ8500 shown. Features may vary by model.


All RedMax backpack blowers have a 2 year commercial warranty and limited lifetime ignition coil warranty.




The 7500 & 8500 series feature the 3<sup>rd</sup> generation Strato-Charged® engine which reduces impact on the environment through efficient engine design, increased fuel economy and reduced emissions.



Anti-static throttle lever prevents static electricity shock.



Clean air intake system reduces dust and extends filter life. (EBZ8500 Series Only)



Two stage, heavy-duty air filtration system.



Reflective decals provides safe operation in low light conditions.



Available in standard hip mount throttle or tube mounted / right hand (RH) throttle shown above.

Model (50 States)	Part Number	Engine Size (CC)	Engine Type	Max Horse-power (HP)	Air Volume (at tube / housing) (CFM)	Max Air Speed (MPH)	Dry Weight With Tube (Lbs.)	Fuel Capacity (Fl. Oz.)	Noise Level <sup>1</sup> db(A)	Warranty <sup>2</sup> (Cons.) (Com.)	
EBZ5150	966 35 83-01	50.2	Strato-Charged®	2.2	406 / 678	191	22.7	70.9	71	2 Yrs.	2 Yrs.
EBZ5150RH	966 35 84-01	50.2	Strato-Charged®	2.2	406 / 678	191	22.3	70.9	71	2 Yrs.	2 Yrs.
EBZ6500	966 75 80-01	65.6	Strato-Charged®	4.0	636 at tube	232	23.4	71.0	75	2 Yrs.	2 Yrs.
EBZ6500RH	966 75 81-01	65.6	Strato-Charged®	4.0	636 at tube	232	23.2	71.0	75	2 Yrs.	2 Yrs.
EBZ7500	966 62 43-01	65.6	Strato-Charged®	4.0	770 / 971	236	23.4	71.0	77	2 Yrs.	2 Yrs.
EBZ7500RH	966 70 99-01	65.6	Strato-Charged®	4.0	770 / 971	236	23.2	71.0	77	2 Yrs.	2 Yrs.
EBZ8500	966 62 45-01	75.6	Strato-Charged®	4.4	908 / 1024	206	24.7	77.8	77	2 Yrs.	2 Yrs.
EBZ8500RH	966 71 00-01	75.6	Strato-Charged®	4.4	908 / 1024	206	24.5	77.8	77	2 Yrs.	2 Yrs.

<sup>1</sup> ANSI B175.2-2000 <sup>2</sup> Ignition coil includes limited lifetime warranty

# H. P. FAIRFIELD, LLC



HP

**FAIRFIELD LLC**

**"MUNICIPAL SPECIALISTS"**

PHONE: 603-225-9576 FAX: 603-228-5246

<http://www.hpfairfield.com>

**QUOTE # 132202**

FROM:

Phil Webster

94 Sheep Davis Road

Pembroke, NH 03275

**QUOTED TO:** Town Of Moultonborough  
213270 P O Box 139  
Moultonborough, NH 30254  
**ATTN:** Scott

**DATE:** September 26, 2012

**CUSTOMER PHONE:** 603-476-2347

**CUSTOMER FAX:** 603-476-5835

**COMMENTS:** Rake

QTY	DESCRIPTION	PRICE	EXT. PRICE
1	YORK FM FRONT MOUNTED RAKE WITH 2' FLIP OVER EXTENSION . INCLUDES POWER ANGLE A-FRAME.	\$4,260.00	\$4,260.00

**SIGNED** Phil Webster

**ACKNOWLEDGED**

**QUOTE TOTAL**

\$4,260.00

**Serving New England for over 60 Years**

# YORK RAKE

Model FM



Put a Front Mount Rake in Place of Your Snowplow.



Model	007518	007528	007538	007548	007558	007568
Weight	580#	542#	563#	560#	570#	570#
Max. Raking Width w/Extension Down	11'					
Max. Raking Width w/Extension Up	8'					
Min. Raking Width w/Extension Down	126"					
Min. Raking Width w/Extension Up	90"					
Angling	Infinite w/Plows Hydraulic Angle Cylinders.					
Tooth Size	5/16" x 1-1/4" x 30", Heat Treated Alloy Steel.					
Tooth Spacing	1-1/2"					
Rake Heads	Spring Steel					
Hitch (Snowplow)	Fisher H-Series	Western Pro Plow	Diamond AU-14	Meyers C-Series	Fisher MM2	BOSS
Caster Wheels	Standard, 13/6.50 x 6 Pneumatic Tires w/High Speed Bearings.					

A division of YORK MODERN CORPORATION • UNADILLA, NY 13849 • 800-643-YORK (9675) or 607-369-7111 • Fax: 607-369-2625


E-mail: [sales@yorkmodern.com](mailto:sales@yorkmodern.com) Web: [www.yorkmodern.com](http://www.yorkmodern.com)

Form SL-FMS09 (Rev. 6/2009)

Specifications subject to change without notice.

Printed in USA

Your Store:  
N Windham, ME

**Werner 2-ft Fiberglass Step Ladder**

Item # 89380 | Model # 6002

Top Step Height:

**\$60.95**

Do you have a question  
about this product?

**FREE  
Store Pickup**

Your order will be ready for pickup from  
Lowe's Of N Windham, ME by  
10/09/2012

**Lowe's Truck Delivery**

Your order will be ready for delivery to  
you from Lowe's Of N Windham, ME  
by 10/09/2012

**Parcel Shipping**

**Unavailable for This Order**

Sent by carriers like UPS,  
FedEx, USPS, etc.

**Description**

2-ft Fiberglass Step Ladder:


- 250 lbs. load capacity
- Type I duty rating
- Fiberglass rails provide safe environment for working with electricity
- Molded top provides large standing platform

**Specifications**

Ladder Type	Step	Ladder Length (Feet)	2.0
Telescoping	No	Base Width (inches)	17.0
Rail Material	Fiberglass	ANSI Safety Listing	Yes
Ladder Material	Fiberglass	OSHA Safety Listing	Yes
Duty Rating (lbs.)	250.0	CSA Safety Listing	No
ANSI Ladder Rating	Type I	Weight (lbs.)	8.5

**Werner 2-ft  
Fiberglass Step  
Ladder** **\$60.95**

© 2012 Lowe's. All rights reserved. Lowe's and the gable design are registered trademarks of LF, LLC

[Create Account](#) [Log In](#)  
 [Cart](#): There are no items in your cart[My Store: OSSIPEE, NH](#) [Directions and store info](#) [Find a different store](#)[Customer Service 1-877-718-6750](#) [Sign Up for Email](#)[Agriculture](#) [Clothing & Footwear](#) [Fencing](#) [Equine](#) [Lawn & Garden](#) [Trailers](#) [Livestock](#) [Pet](#) [Power Equipment](#) [Tools](#) [Welding](#) [View All](#)**Powerbuilt® Truck Tire Service Step****\$29.99**Quantity: 1 [Add to Cart](#)

Also available in stores

**Product Reviews**

OVERALL CUSTOMER RATING:

★★★★★

2 out of 2 (100%) customers would recommend this product to a friend  
[Read all 2 reviews](#) [Write a review](#)  
[Follow this product](#)**Product Description**

SKU Number: 1024992

Manufacturers Number: 647596

Brand: Powerbuilt®

Type: Step

Fits: Trucks/SUVs/RVs/Semis


Material: Steel

Width: 22-3/5 in

Length: 4-3/5 in

Height: 15-3/4 in

Warranty: 1-Year Limited

 [Enlarge](#)[Description](#) [Reviews](#)

The Powerbuilt® Truck Tire Service Step is perfect for loading and servicing pick-ups, SUVs, RVs and semi trucks.

- Wraps over truck tire to create an instant step
- Fits any diameter tire up to 13 in. deep
- No-slip step surface
- Folds flat for compact storage
- Holds up to 300 lb.

[Top of Page](#)**Shop by Department**[Agriculture](#)  
[Clothing & Footwear](#)  
[Equine](#)  
[Fencing](#)  
[Home Improvement](#)  
[Lawn & Garden](#)  
[Livestock](#)  
[Parts Store](#)  
[Pet](#)  
[Power Equipment](#)  
[Tools](#)  
[Toys & Decor](#)  
[Trailers & Towing](#)  
[Vehicle Maintenance & Accessories](#)  
[Welding](#)**Shop by Brand**[Carhartt](#)  
[Cub Cadet](#)  
[Dumor](#)  
[Husqvarna](#)  
[Justin](#)  
[Purina](#)**Connect**[Like](#) [9,554 people like this](#)[Recommend on Google+](#)**Email Signup**[Signup for Special Offers](#)**View Your Local Ad**[My TSC Store](#)**Know-How Central**[Cattle Care](#)  
[Goat Care](#)  
[Heating](#)  
[Horse Care](#)  
[Lawn & Garden](#)  
[Outdoor Power Equipment](#)  
[Pet Care](#)  
[Poultry Care](#)**Service**[Contact Us](#)  
[TSC Stores: Find a Store](#)  
[Frequently Asked Questions](#)  
[Order Cancellation Policy](#)  
[Order Status](#)  
[PowerPlus Plan](#)  
[Privacy Policy](#)  
[Propane Tank Filling](#)  
[Return Policy](#)  
[Satisfaction Guarantee](#)  
[Shipping Rates](#)  
[Store Events](#)  
[Terms and Conditions](#)  
[Tractor Supply Credit Cards](#)  
[Volume Discounts](#)**Credit**[Major Purchase Plan](#)  
[Tractor Supply Personal Credit Card](#)  
[Customer Service: 1-800-263-0691](#)**About Tractor Supply**[About Us](#)  
[Careers](#)  
[History](#)  
[Investor Relations](#)  
[Mission & Values](#)  
[Quick Facts](#)  
[Sustainability](#)  
[Vendor Information](#)**Contact US**[Online Order Support](#)  
[customerservice@tractorsupply.com](#)  
[Call: 1-877-718-6750](#)  
[Monday - Saturday: 8am - 9pm CST](#)  
[Sunday: 9am - 6pm CST](#)  
[Tractor Supply Store Support](#)  
[Call: 1-877-872-7721](#)  
[Monday - Sunday: 8am - 5pm CST](#)  
[Mailing Address](#)  
[Tractor Supply Company](#)

NORTHEAST TIRE SERVICE, INC.  
174 DANIEL WEBSTER HWY  
BELMONT  
603 524-7973

<< WIP >>

INVOICE

Invoice No: 27044

Clerk:C1

Customer: MOULTONBOROUGH HIG  
Address: PO BOX 139

Phone Home/Work: (603) 253-7445 /

Unique Tag: \* 773 1

Start: 0

End:

MOULTONBOROUGH, NH, 03254

Unit GRADER

ID#:

09/27/12 @ 08:03 am

Customer #: 773

Order #:

Page No.: 1

Service/Part Code	Description	Qty	Price	Total
DY7114241	1400-24 DC REM	6.00	1,000.00	6,000.00
900509	TRUCK MOUNTS	6.00	50.00	300.00
900520	RIM/ACCESSORIES-or25t orings fax 603 253-7445	6.00	15.00	90.00

Sub-Total: \$6,390.00

Shop Fee: \$0.00

Tax: \$0.00

: \$0.00

TOTAL: \$6,390.00

Deposit Amount: 0.00

Balance Due: 6,390.00

I hereby authorize the above repair work to be done along with the necessary material and hereby grant you and/or your employees permission to operate the vehicle for the purposes of testing and inspection. An express mechanics lien is hereby acknowledged on above vehicle to secure the amount of repairs thereto.

INTEREST CHARGE OF 1.5% WILL BE APPLIED TO INVOICES OVER 30 DAYS.  
WE ACCEPT VISA MASTERCARD AND AMERICAN EXPRESS.

Ver 6.5.3 (10/9/99) (auto1)

# Budget Worksheet Listing

Dept. Number	Account Number	Account Name	W. Space	PriorFY Budget	PriorFY Expend	Current Budget	Current Expend.	Request	T Admin.Rec	Selectmen
01250	DPW - Private Roads									
001-01250-00400-4312	DPW-Private Roads Property Services			7,750.00	2,401.35	7,750.00	0.00	7,750.00	7,750.00	0.00
001-01250-00500-4312	DPW-Private Roads Other Services			168,250.00	121,497.83	168,250.00	0.00	180,000.00	180,000.00	0.00
001-01250-00600-4312	DPW-Private Roads Supplies			92,000.00	49,476.97	88,000.00	0.00	63,000.00	63,000.00	0.00
	<b>Subtotal for dept. DPW - Private Roads:</b>			<b>268,000.00</b>	<b>173,376.15</b>	<b>264,000.00</b>	<b>0.00</b>	<b>250,750.00</b>	<b>250,750.00</b>	<b>0.00</b>

FY 2013 BUDGET DETAIL						
DEPARTMENT:		Private Roads				
FUND:		001				
ACCOUNT NUMBER:		01250	00400			
ACCOUNT NAME:		Property Services				
Description	Quantity	\$ Per Unit	Extension	FY 2013 Request	FY 2013 Administrator Recommended	
5/8*6*96	15	\$152.95	\$2,294.25	\$2,294	\$2,294	
5/8*6*108	30	\$158.64	\$4,759.28	\$4,759	\$4,759	
5/8*6*120	4	\$175.89	\$703.57	\$704	\$704	
			Lump Sum Disallowed		-\$7	
			Totals	\$7,757	\$7,750	
FUND:		001				
ACCOUNT NUMBER:		01250	00500			
ACCOUNT NAME:		Other Services				
Description	Quantity	\$ Per Unit	Extension	FY 2013 Request	FY 2013 Administrator Recommended	
Pick ups	1000	\$44.00	\$44,000.00	\$44,000	\$44,000	
One Tons	2500	\$52.00	\$130,000.00	\$130,000	\$130,000	
26K Dump/plow/sander	100	\$65.00	\$6,500.00	\$6,500	\$6,500	
			Lump Sum Disallowed		-\$500	
			Totals	\$180,500	\$180,000	
FUND:		001				
ACCOUNT NUMBER:		01250	00600			
ACCOUNT NAME:		Supplies				
Description	Quantity	\$ Per Unit	Extension	FY 2013 Request	FY 2013 Administrator Recommended	
Sand	3400	\$8.65	\$29,410.00	\$29,410	\$29,410	
Salt - Treated - Magic O	150	\$79.33	\$11,899.50	\$11,900	\$11,900	
Salt - Untreated	350	\$61.83	\$21,640.50	\$21,641	\$21,641	
			Lump Sum Add		\$50	
			Totals	\$62,950	\$63,000	

# Budget worksheet Listing

Dept. Number	Account Number	Account Name	W. Space	PriorFY Budget	PriorFY Expend	Current Budget	Current Expend.	Request	T Admin.Rec	Selectmen
<b>01270</b>	<b>DPW-Cemeteries</b>									
001-01270-00120-4195	DPW-Cemeteries Part Time			12,980.00	7,852.38	13,000.00	0.00	13,500.00	13,500.00	0.00
001-01270-00220-4195	DPW-Cemeteries FICA			805.00	486.88	806.00	0.00	837.00	837.00	0.00
001-01270-00230-4195	DPW-Cemeteries Medicare			189.00	113.86	189.00	0.00	196.00	196.00	0.00
001-01270-00240-4195	DPW-Cemeteries Workers Comp			520.00	185.00	340.00	0.00	352.00	352.00	0.00
001-01270-00400-4195	DPW-Cemeteries Property Services			5,000.00	8,585.00	3,000.00	0.00	4,000.00	4,000.00	0.00
001-01270-00500-4195	DPW-Cemeteries Other Services			500.00	0.00	500.00	0.00	500.00	500.00	0.00
001-01270-00600-4195	DPW-Cemeteries Supplies			1,810.00	540.26	3,750.00	0.00	2,800.00	2,800.00	0.00
	<b>Subtotal for dept. DPW-Cemeteries:</b>			<b>21,804.00</b>	<b>17,763.38</b>	<b>21,585.00</b>	<b>0.00</b>	<b>22,185.00</b>	<b>22,185.00</b>	<b>0.00</b>

FY 2013 BUDGET DETAIL							
DEPARTMENT:		Cemeteries					
FUND:		001					
ACCOUNT NUMBER:		01270		00120			
ACCOUNT NAME:		Personnel - Part Time					
Description		Grade/Step	\$ Per Unit	Hrs/Wk/Yr or Salary	Extension	FY 2013 Request	FY 2013 Administrator Recommended
	Employee	V-1	\$14.37	500	\$7,185.00	\$7,185	\$7,185
	Employee	III-1	\$12.64	500	\$6,320.00	\$6,320	\$6,320
					Lump Sum Disallowed		-\$5
					Totals	\$13,505	\$13,500
FUND:		001					
ACCOUNT NUMBER:		01270		00400			
ACCOUNT NAME:		Property Services					
Description		Quantity	\$ Per Unit		Extension	FY 2013 Request	FY 2013 Administrator Recommended
	Misc- Digging Supplies/boards/plywood					\$1,000	\$1,000
	Maint- Composting of grounds					\$3,000	\$3,000
					Lump Sum Disallowed		
					Totals	\$4,000	\$4,000
FUND:		001					
ACCOUNT NUMBER:		01270		00500			
ACCOUNT NAME:		Other Services					
Description		Quantity	\$ Per Unit		Extension	FY 2013 Request	FY 2013 Administrator Recommended
	Cemeteries- Other Services						
	Equipment Rental					\$500	\$500
					Totals	\$500	\$500
FUND:		001					
ACCOUNT NUMBER:		01270		00600			
ACCOUNT NAME:		Supplies					
Description		Quantity	\$ Per Unit		Extension	FY 2013 Request	FY 2013 Administrator Recommended
	Flags/Holders/Marker 400 flags	\$400.00	3	\$1,000.00	\$1,000	\$1,000	\$1,000.00
	Veteran Marker	\$18.00	45	\$810.00	\$810	\$810	\$810.00
	Maint of equipment					\$2,000	\$2,000.00
					Lump Sum Disallowed		-\$10
					Totals	\$2,810	\$2,800